



RECOMMENDED TABLE BASE BY TABLE TOP SIZE






TABLE OF CONTENTS

Cast Iron Family	3 - 12
Cast Iron 4-Prong	3
Cast Iron Round	7
Cast Iron 3-Prong	10
Stainless Steel Family	13 - 23
Stainless Steel 4-Prong	13
Stainless Steel Round	16
Stainless Steel Square	19
Mounted Family	24 - 25
Floor Mounted	24
Wall Mounted	25



Cast Iron | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE



21.25" x 21.25"
JI3-22TP12



22" x 29.5"
JI3-2230TP12



29.5" x 29.5"
JI3-30TP12



35.5" x 35.5"
JI4-36TP24



Centipede
JI5x1.5-36TP24



Bar Height + Footring
JI3-22TP12BH
JI3-22TP12BHFR



End + ADA
JI3-522TP12
JI3-522TP3.5X22ADA



Cast Iron | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" x 24"	J13-22TP12	13"	3"	1
24" x 30"	J13-22TP12	13"	3"	1
24" x 36"	J13-2230TP12	13"	3"	1
24" x 42"	J13-2230TP12	13"	3"	1
24" x 48" *	J14-2230TP17	17"	4"	1
24" x 48" *	J13-522TP12	13"	3"	2
24" x 48" ✓	J13-522TP3.5x12ADA	3.5" x 12"	3"	2
24" x 60"	J13-522TP12	13"	3"	2
24" x 60" ✓	J13-522TP3.5x12ADA	3.5" x 12"	3"	2
24" x 72"	J13-522TP12	13"	3"	2
24" x 84"	J13-22TP12	13"	3"	2
24" x 96"	J13-22TP12	13"	3"	2
30" x 30"	J13-22TP12	13"	3"	1
30" x 36"	J13-2230TP12	13"	3"	1
30" x 42"	J14-2230TP12	13"	4"	1
30" x 48"	J13-522TP12	13"	3"	2
30" x 48" ✓	J13-522TP3.5x12ADA	3.5" x 12"	3"	2
30" x 60"	J13-522TP12	13"	3"	2
30" x 60" ✓	J13-522TP3.5x12ADA	3.5" x 12"	3"	2
30" x 72"	J13-522TP17	17"	3"	2
30" x 84"	J13-22TP12	13"	3"	2
30" x 96"	J13-22TP12	13"	3"	2
32" x 32"	J13-30TP12	13"	3"	1
36" x 36"	J14-30TP12	13"	4"	1

* Alternatives for same table top size – use 1 or 2 table bases per top

✓ Installation meets ADA requirements of 30" minimum between bases for wheelchair accessibility



Cast Iron | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Continued				
36" × 42"	J14-2230TP17	17"	4"	1
36" × 48"	J14-522TP12	13"	4"	2
36" × 60"	J14-2230TP12	13"	4"	2
36" × 72"	J14-2230TP17	17"	4"	2
36" × 84"	J14-2230TP17	17"	4"	2
36" × 96"	J14-2230TP17	17"	4"	2
42" × 42"	J14-36TP24	24"	4"	1
48" × 48"	J14-36TP24	24"	4"	1
48" × 60"	J15x1.5-36TP24	24"	MULTI	1
48" × 72"	J14-2230TP24	24"	4"	2
58" × 58"	J15x1.5-36TP24	24"	MULTI	1
60" × 60"	J15x1.5-36TP24	24"	MULTI	1
Round				
18" Round	N / A			
24" Round	J13-22TP12	13"	3"	1
30" Round	J13-22TP12	13"	3"	1
32" Round	J13-30TP12	13"	3"	1
36" Round	J14-30TP12	13"	4"	1
42" Round	J14-30TP17	17"	4"	1
48" Round	J14-36TP24	24"	4"	1
51" Round	J14-36TP24	24"	4"	1
54" Round	J14-36TP24	24"	4"	1
60" Round	J14-36TP24	24"	4"	1
64" Round	J15x1.5-36TP24	24"	MULTI	1



Cast Iron | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Bar Height and Bar Height with Footring				
<i>When sizing columns with footring, add suffix <u>ER</u> to the end of the model number below.</i>				
24" × 24"	Jl3-22TP12BH	13"	3"	1
30" × 30"	Jl3-30TP12BH	13"	3"	1
36" × 36"	Jl4-30TP17BH	17"	4"	1
24" Round	Jl3-22TP12BH	13"	3"	1
30" Round	Jl3-30TP12BH	13"	3"	1
36" Round	Jl4-30TP12BH	13"	4"	1
42" Round	Jl4-36TP24BH	24"	4"	1
48" Round	N / A			



Cast Iron | Round Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE



18" Round
JI3-**18**RDTP12



22" Round
JI3-**22**RDTP12



28" Round
JI4-**28**RDTP17



Bar Height + Footring
JI3-18RDTP12**BH**
JI3-18RDTP12**BHFR**



Cast Iron | Round Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" × 24"	J13-18RDTP12	13"	3"	1
24" × 30"	J13-18RDTP12	13"	3"	1
24" × 36"	J13-22RDTP12	13"	3"	1
24" × 42"	J13-22RDTP12	13"	3"	1
24" × 48" *	J13-18RDTP12	13"	3"	2
24" × 48" *	J13-22RDTP17	17"	3"	1
24" × 60"	J13-18RDTP12	13"	3"	2
24" × 72"	J13-18RDTP12	13"	3"	2
24" × 84"	J13-18RDTP12	13"	3"	2
24" × 96"	J13-18RDTP12	13"	3"	2
30" × 30"	J13-18RDTP12	13"	3"	1
30" × 36"	J13-22RDTP12	13"	3"	1
30" × 42"	J13-22RDTP12	13"	3"	1
30" × 48" *	J13-18RDTP12	13"	3"	2
30" × 48" *	J14-28RDTP17	17"	4"	1
30" × 60"	J13-18RDTP12	13"	3"	2
30" × 72"	J13-18RDTP12	13"	3"	2
30" × 84"	J13-22RDTP12	13"	3"	2
30" × 96"	J13-22RDTP12	13"	3"	2
36" × 36"	J13-22RDTP12	13"	3"	1
36" × 42"	J13-22RDTP17	17"	3"	1
36" × 48" *	J13-18RDTP17	17"	3"	2
36" × 48" *	J14-28RDTP17	17"	4"	1
36" × 60"	J13-22RDTP12	13"	3"	2

* Alternatives for same table top size – use 1 or 2 table bases per top



Cast Iron | Round Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Continued				
36" × 72"	J13-22RDTP12	13"	3"	2
36" × 84"	J14-28RDTP17	17"	4"	2
36" × 96"	J14-28RDTP17	17"	4"	2
42" × 42"	J14-28RDTP17	17"	4"	1
48" × 48"	J14-28RDTP17	17"	4"	1
60" × 60"	N / A			
Round				
18" Round	J13-18RDTP12	13"	3"	1
24" Round	J13-18RDTP12	13"	3"	1
30" Round	J13-18RDTP12	13"	3"	1
36" Round	J13-22RDTP12	13"	3"	1
42" Round	J14-28RDTP17	17"	4"	1
48" Round	J14-28RDTP17	17"	4"	1
51" Round	J14-28RDTP24	24"	4"	1
54" Round	J14-28RDTP24	24"	4"	1
60" Round	J14-28RDTP24	24"	4"	1
72" Round	J13-18RDTP12	13"	3"	3
Bar Height and Bar Height with Footring				
When sizing columns with footring , add suffix <u>FR</u> to the end of the model number below.				
24" × 24"	J13-18RDTP12BH	13"	3"	1
30" × 30"	J13-22RDTP12BH	13"	3"	1
36" × 36"	J13-22RDTP17BH	17"	3"	1
24" Round	J13-18RDTP12BH	13"	3"	1
30" Round	J13-22RDTP12BH	13"	3"	1
36" Round	J13-22RDTP12BH	13"	3"	1
42" Round	J14-28RDTP17BH	17"	4"	1



Cast Iron | 3-Prong "B" Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE



22" x 22" Footprint
JIB3-**22**TP12



2" x 27" Footprint
JIB3-**27**TP12



Bar Height + Footring
JIB3-27TP12**BH**
JIB3-27TP12**BHFR**



End + ADA
JIB3-**622**TP12
JIB3-**622**TP3.5x12**ADA**



Cast Iron | 3-Prong "B" Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" x 24"	JIB3-22TP12	13"	3"	1
24" x 30"	JIB3-22TP12	13"	3"	1
24" x 36"	JIB3-27TP12	13"	3"	1
24" x 42"	JIB3-622TP12	13"	3"	2
24" x 48"	JIB3-622TP12	13"	3"	2
24" x 48" ✓	JIB3-622TP3.5x12ADA	3.5" x 12"	3"	2
24" x 60"	JIB3-622TP12	13"	3"	2
24" x 60" ✓	JIB3-622TP3.5x12ADA	3.5" x 12"	3"	2
24" x 72"	JIB3-622TP12	13"	3"	2
24" x 84"	JIB3-622TP12	13"	3"	2
24" x 96"	JIB3-622TP12	13"	3"	2
30" x 30"	JIB3-22TP12	13"	3"	1
30" x 36"	JIB3-27TP12	13"	3"	1
30" x 42"	JIB3-622TP12	13"	3"	2
30" x 48"	JIB3-622TP12	13"	3"	2
30" x 48" ✓	JIB3-622TP3.5x12ADA	3.5" x 12"	3"	2
30" x 60"	JIB3-622TP12	13"	3"	2
30" x 60" ✓	JIB3-622TP3.5x12ADA	3.5" x 12"	3"	2
30" x 72"	JIB3-622TP12	13"	3"	2
30" x 84"	JIB3-22TP17	17"	3"	2
30" x 96"	JIB3-27TP12	13"	3"	2
36" x 36"	JIB3-27TP17	17"	3"	1
36" x 42"	JIB3-622TP12	13"	3"	2

* Alternatives for same table top size – use 1 or 2 table bases per top

✓ Installation meets ADA requirements of 30" minimum between bases for wheelchair accessibility



Cast Iron | 3-Prong "B" Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Continued				
36" × 48"	JIB3-622TP12	13"	3"	2
36" × 60"	JIB3-622TP12	13"	3"	2
36" × 72"	JIB3-622TP17	17"	3"	2
36" × 72"	JIB3-27TP17	17"	3"	2
36" × 84"	JIB3-27TP17	17"	3"	2
36" × 96"	JIB3-27TP17	17"	3"	2
Round				
24" Round	JIB3-22TP12	13"	3"	1
30" Round	JIB3-22TP12	13"	3"	1
36" Round	JIB3-27TP17	17"	3"	1
Bar Height and Bar Height with Footring				
<i>When sizing columns with footring, add suffix <u>ER</u> to the end of the model number below.</i>				
24" × 24"	JIB3-22TP12BH	13"	3"	1
30" × 30"	JIB3-27TP12BH	13"	3"	1
24" Round	JIB3-22TP12BH	13"	3"	1
30" Round	JIB3-27TP12BH	13"	3"	1
36" Round	JIB3-27TP17BH	17"	3"	1



Stainless Steel | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE



18" x 18"
JIS3-**18TP12**



22" x 22"
JIS3-**22TP12**



28" x 28"
JIS4-**28TP17**



End + ADA
JIS3-**522TP12**



Bar Height + Footring
JIS3-18TP12**BH**
JIS3-18TP17**BHFR**





Stainless Steel | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" × 24"	JIS3-18TP12	13"	3"	1
24" × 30"	JIS3-22TP12	13"	3"	1
24" × 36"	JIS3-22TP12	13"	3"	1
24" × 42"	JIS3-18TP12	13"	3"	2
24" × 42"	JIS3-522TP12	13"	3"	2
24" × 48"	JIS3-18TP12	13"	3"	2
24" × 48"	JIS3-522TP12	13"	3"	2
24" × 60"	JIS3-18TP12	13"	3"	2
24" × 60"	JIS3-522TP12	13"	3"	2
24" × 72"	JIS3-18TP12	13"	3"	2
24" × 72"	JIS3-522TP12	13"	3"	2
24" × 84"	JIS3-18TP12	13"	3"	2
24" × 96"	JIS3-22TP12	13"	3"	2
30" × 30"	JIS3-22TP12	13"	3"	1
30" × 36"	JIS3-22TP17	17"	3"	1
30" × 42"	JIS3-18TP12	13"	3"	2
30" × 42"	JIS3-522TP12	13"	3"	2
30" × 48"	JIS3-18TP12	13"	3"	2
30" × 48"	JIS3-522TP12	13"	3"	2
30" × 60"	JIS3-18TP12	13"	3"	2
30" × 60"	JIS3-522TP12	13"	3"	2
30" × 72"	JIS3-22TP12	13"	3"	2
30" × 72"	JIS3-522TP12	13"	3"	2
30" × 84"	JIS3-22TP12	13"	3"	2
30" × 96"	JIS3-22TP12	13"	3"	2
32" × 32"	JIS3-22TP17	17"	3"	1



Stainless Steel | 4-Prong Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

⚠ Maximum table top weight varies from average of 10lbs per square foot.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Continued				
36" × 36" ⚠	JIS4-28TP17	17"	4"	1
	Maximum table top weight is 70 lbs.			
36" × 40" ⚠	JIS4-28TP24	24"	4"	1
	Maximum table top weight is 70 lbs.			
36" × 42"	JIS3-522TP17	17"	3"	2
36" × 48"	JIS3-522TP17	17"	3"	2
36" × 60"	JIS3-522TP17	17"	3"	2
36" × 72"	JIS3-22TP17	17"	3"	2
36" × 84"	JIS3-22TP17	17"	3"	2
36" × 96"	JIS3-22TP17	17"	3"	2
42" × 60"	N / A			
Round				
24" Round	JIS3-18TP12	13"	3"	1
30" Round	JIS3-22TP12	13"	3"	1
36" Round ⚠	JIS4-28TP17	17"	4"	1
	Maximum table top weight is 70 lbs.			
40" Round ⚠	JIS4-28TP24	24"	4"	1
	Maximum table top weight is 70 lbs.			
Bar Height				
When sizing columns with footring , add suffix <u>FR</u> to the end of the model number below.				
24" × 24"	JIS3-18TP12BH	13"	3"	1
30" × 30"	JIS3-22TP17BH	17"	3"	1
36" × 36" ⚠	JIS4-28TP24BH	24"	4"	1
	Maximum table top weight is 60 lbs.			
24" Round	JIS3-18TP12BH	13"	3"	1
30" Round	JIS3-22TP17BH	17"	3"	1
36" Round ⚠	JIS4-28TP24BH	24"	4"	1
	Maximum table top weight is 60 lbs.			



Stainless Steel | Round Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE



18" Round
JIS3-18RDTP12



22" Round
JIS3-22RDTP12



28" Round
JIS3-28RDTP17



Bar Height + Footring
JIS3-18RDTP17BH
JIS3-18RDTP12BHFR





Stainless Steel | Round Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" × 24"	JIS3-18RDTP12	13"	3"	1
24" × 30"	JIS3-18RDTP12	13"	3"	1
24" × 36"	JIS3-22RDTP12	13"	3"	1
24" × 42"	JIS3-22RDTP12	13"	3"	1
24" × 48" *	JIS3-18RDTP12	13"	3"	2
24" × 48" *	JIS3-22RDTP12	13"	3"	1
24" × 60"	JIS3-18RDTP12	13"	3"	2
24" × 72"	JIS3-18RDTP12	13"	3"	2
24" × 84"	JIS3-18RDTP12	13"	3"	2
24" × 96"	JIS3-18RDTP12	13"	3"	2
30" × 30"	JIS3-18RDTP12	13"	3"	1
30" × 36"	JIS3-22RDTP12	13"	3"	1
30" × 42"	JIS3-22RDTP12	13"	3"	1
30" × 48" *	JIS3-18RDTP12	13"	3"	2
30" × 48" *	JIS4-28RDTP17	17"	4"	1
30" × 60"	JIS3-18RDTP12	13"	3"	2
30" × 72"	JIS3-18RDTP12	13"	3"	2
30" × 84"	JIS3-22RDTP12	13"	3"	2
30" × 96"	JIS3-22RDTP12	13"	3"	2
36" × 36"	JIS3-22RDTP17	17"	3"	1
36" × 42"	JIS3-22RDTP17	17"	3"	1
36" × 48" *	JIS3-18RDTP17	17"	3"	2
36" × 48" *	JIS4-28RDTP17	17"	4"	1
36" × 60"	JIS3-22RDTP12	13"	3"	2

* Alternatives for same table top size – use 1 or 2 table bases per top



Stainless Steel | Round Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Continued				
36" × 72"	JIS3-22RDTP12	13"	3"	2
36" × 84"	JIS4-28RDTP17	17"	4"	2
36" × 96"	JIS4-28RDTP17	17"	4"	2
42" × 42"	JIS4-28RDTP17	17"	4"	1
48" × 48"	JIS4-28RDTP24	24"	4"	1
60" × 60"	N / A			
Round				
18" Round	JIS3-18RDTP12	13"	3"	1
24" Round	JIS3-18RDTP12	13"	3"	1
30" Round	JIS3-18RDTP12	13"	3"	1
36" Round	JIS3-22RDTP12	13"	3"	1
42" Round	JIS4-28RDTP17	17"	4"	1
48" Round	JIS4-28RDTP17	17"	4"	1
51" Round	JIS4-28RDTP24	24"	4"	1
54" Round	JIS4-28RDTP24	24"	4"	1
60" Round	N / A			
Bar Height and Bar Height Footring				
When sizing columns with footring , add suffix <u>FR</u> to the end of the model number below.				
24" × 24"	JIS3-18RDTP12BH	13"	3"	1
30" × 30"	JIS3-22RDTP12BH	13"	3"	1
36" × 36"	JIS3-22RDTP17BH	17"	3"	1
24" Round	JIS3-18RDTP12BH	13"	3"	1
30" Round	JIS3-22RDTP12BH	13"	3"	1
36" Round	JIS3-22RDTP17BH	17"	3"	1
42" Round	JIS4-28RDTP24BH	24"	4"	1



Stainless Steel | Square Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

* Square columns require a 17" top plate.



18" x 18"

JIS3RD-18SQTP12

JIS3SQ-18SQTP17



22" x 22"

JIS3RD-22SQTP12

JIS3SQ-22SQTP17



Round Column Bar Height + Footring

JIS3RD-18SQTP12BH

JIS3RD-18SQTP17BHFR



Square Column Bar Height + Footring

JIS3SQ-22SQTP17BH

JIS3SQ-22SQTP17BHFR





Stainless Steel | Square Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Round Column

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" × 24"	JIS3RD-18SQTP12	13"	3"	1
24" × 30"	JIS3RD-18SQTP12	13"	3"	1
24" × 36"	JIS3RD-22SQTP12	13"	3"	1
24" × 42"	JIS3RD-22SQTP12	13"	3"	1
24" × 48"	JIS3RD-22SQTP17	17"	3"	1
24" × 60"	JIS3RD-18SQTP12	13"	3"	2
24" × 72"	JIS3RD-18SQTP12	13"	3"	2
24" × 84"	JIS3RD-18SQTP12	13"	3"	2
24" × 96"	JIS3RD-18SQTP12	13"	3"	2
24" × 96"	JIS3RD-22SQTP12	13"	3"	2
30" × 30"	JIS3RD-18SQTP12	13"	3"	1
30" × 36"	JIS3RD-22SQTP12	13"	3"	1
30" × 42"	JIS3RD-22SQTP12	13"	3"	1
30" × 48"	JIS3RD-22SQTP17	17"	3"	1
30" × 60"	JIS3RD-18SQTP12	13"	3"	2
30" × 72"	JIS3RD-18SQTP12	13"	3"	2
30" × 84"	JIS3RD-22SQTP17	17"	3"	2
30" × 96"	JIS3RD-22SQTP12	13"	3"	2
30" × 96"	JIS3RD-22SQTP17	17"	3"	2
36" × 36"	JIS3RD-22SQTP17	17"	3"	1
36" × 42"	JIS3RD-22SQTP17	17"	3"	1
36" × 48"	JIS3RD-18SQTP12	13"	3"	2
36" × 60"	JIS3RD-22SQTP12	13"	3"	2
36" × 72"	JIS3RD-22SQTP12	13"	3"	2
36" × 84"	JIS3RD-22SQTP17	17"	3"	2



Stainless Steel | Square Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Round Column Cont.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Cont.				
36" × 96"	JIS3RD-22SQTP17	17"	3"	2
42" × 42"	JIS3RD-22SQTP17	17"	3"	2
Round				
24" Round	JIS3RD-18SQTP12	13"	3"	1
30" Round	JIS3RD-18SQTP12	13"	3"	1
36" Round	JIS3RD-22SQTP17	17"	3"	1
41" Round	N / A			
Bar Height and Bar Height with Footring				
When sizing columns with footring , add suffix <u>ER</u> to the end of the model number below.				
24" × 24"	JIS3RD-18SQTP12BH	13"	3"	1
30" × 30"	JIS3RD-18SQTP12BH	13"	3"	1
36" × 36"	JIS3RD-22SQTP17BH	17"	3"	1
42" × 42"	JIS3RD-22SQTP17BH	17"	3"	1
24" Round	JIS3RD-18SQTP12BH	13"	3"	1
30" Round	JIS3RD-18SQTP12BH	13"	3"	1
36" Round	JIS3RD-22SQTP17BH	17"	3"	1
42" Round	JIS3RD-22SQTP17BH	17"	3"	1



Stainless Steel | Square Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Square Column

Square columns require a 17" top plate.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle				
24" × 24"	JIS3SQ-18SQTP17	17"	3" × 3"	1
24" × 30"	JIS3SQ-18SQTP17	17"	3" × 3"	1
24" × 36"	JIS3SQ-22SQTP17	17"	3" × 3"	1
24" × 42"	JIS3SQ-22SQTP17	17"	3" × 3"	1
24" × 48"	JIS3SQ-22SQTP17	17"	3" × 3"	1
24" × 60"	JIS3SQ-18SQTP17	17"	3" × 3"	2
24" × 72"	JIS3SQ-18SQTP17	17"	3" × 3"	2
24" × 84"	JIS3SQ-18SQTP17	17"	3" × 3"	2
24" × 96"	JIS3SQ-18SQTP17	17"	3" × 3"	2
24" × 96"	JIS3SQ-22SQTP17	17"	3" × 3"	2
30" × 30"	JIS3SQ-18SQTP17	17"	3" × 3"	1
30" × 36"	JIS3SQ-22SQTP17	17"	3" × 3"	1
30" × 42"	JIS3SQ-22SQTP17	17"	3" × 3"	1
30" × 48"	JIS3SQ-22SQTP17	17"	3" × 3"	1
30" × 60"	JIS3SQ-18SQTP17	17"	3" × 3"	2
30" × 72"	JIS3SQ-18SQTP17	17"	3" × 3"	2
30" × 84"	JIS3SQ-22SQTP17	17"	3" × 3"	2
30" × 96"	JIS3SQ-22SQTP17	17"	3" × 3"	2
36" × 36"	JIS3SQ-22SQTP17	17"	3" × 3"	1
36" × 42"	JIS3SQ-22SQTP17	17"	3" × 3"	1
36" × 48"	JIS3SQ-18SQTP17	17"	3" × 3"	2
36" × 60"	JIS3SQ-22SQTP17	17"	3" × 3"	2
36" × 72"	JIS3SQ-22SQTP17	17"	3" × 3"	2
36" × 84"	JIS3SQ-22SQTP17	17"	3" × 3"	2



Stainless Steel | Square Family

Return
to JIB

RECOMMENDED TABLE BASE BY TABLE TOP SIZE

Square Column Cont.

Square columns require a 17" top plate.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
Square and Rectangle Cont.				
36" × 96"	JIS3SQ-22SQTP17	17"	3" × 3"	2
42" × 42"	JIS3SQ-22SQTP17	17"	3" × 3"	1
Round				
24" Round	JIS3SQ-18SQTP17	17"	3" × 3"	1
30" Round	JIS3SQ-18SQTP17	17"	3" × 3"	1
36" Round	JIS3SQ-22SQTP17	17"	3" × 3"	1
41" Round	N / A			
Bar Height and Bar Height with Footring				
When sizing columns with footring , add suffix <u>FR</u> to the end of the model number below.				
24" × 24"	JIS3SQ-18SQTP17BH	17"	3" × 3"	1
30" × 30"	JIS3SQ-18SQTP17BH	17"	3" × 3"	1
36" × 36"	JIS3SQ-22SQTP17BH	17"	3" × 3"	1
42" × 42"	JIS3SQ-22SQTP17BH	17"	3" × 3"	1
24" Round	JIS3SQ-18SQTP17BH	17"	3" × 3"	1
30" Round	JIS3SQ-18SQTP17BH	17"	3" × 3"	1
36" Round	JIS3SQ-22SQTP17BH	17"	3" × 3"	1
42" Round	JIS3SQ-22SQTP17BH	17"	3" × 3"	1



Floor Mounted Table Bases

Return
to JIB

Bolt-Down | Table Top Size Recommendations

The recommended maximum size restriction is 36" x 42", based on the premise that one person will sit at the end of the 42" length. Doing so limits the torque on the floor bolts when using the table top for support.

For a 36" width top, two people sitting on one side of the table also limits the torque on the floor bolts should they need support in rising from the table.

Increasing the width or length beyond the recommended one fixed base per 36" x 42" top may cause too much torque on the floor bolts. However, an additional base/s can help support longer tops, or one base per 42".



JIP3-7RDTP12SQDN
Dining Height



JIP3-7RDTP12SQBH
Bar Height

*** JI Bases does not supply floor-attaching hardware, nor give recommendations for hardware. ***
These decisions need to be made by the installer based on the type and condition of the floor.



Wall Mounted Table Bases

Cantilever | Table Top Size Recommendations

Return
to JIB

Cantilever

Cantilever table bases are used to create wall mounted tables.



JICAT-15.5x33LG

Recommended use with tops up to
30" long.



JICAT-15.5x21.5SM

Recommended use with tops up to
54" long.

JIBases offers two cantilevers to accommodate a wide variety of sizes with the option of a Pin Leg for additional support.

Pin Leg Bases for tops longer than 54" recommended for additional support.

