



# Recommended Base by Table Top Size Guide



# 4-Prong Style Table Bases

Return to  
JI Bases



22" x 22"  
JI3-22TP12



22" x 30"  
JI3-2230TP12



30" x 30"  
JI3-30TP12



36" x 36"  
JI4-36TP24



"Centipede"  
JI5x1.5-36TP24



Bar Height (with or without footring)  
JI3-22TP12BH or JI3-22TP12BHFR



End or ADA  
JI3-522TP12 or JI3-522TP3.5x22ADA



# 4-Prong Style Table Bases

Return to  
JI Bases

Recommended Base by Table Top Size for max top wghts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Square &amp; Rectangle</b>				
24"x24"	J13-22TP12	13"	3"	1
24"x30"	J13-22TP12	13"	3"	1
24"x36"	J13-2230TP12	13"	3"	1
24"x42"	J13-2230TP12	13"	3"	1
24"x48" ★	J14-2230TP17	17"	4"	1
24"x48" ★	J13-522TP12	13"	3"	2
24"x48" ★★	J13-522TP3.5x12ADA	3.5"x12"	3"	2
24"x60"	J13-522TP12	13"	3"	2
24"x60" ★★	J13-522TP3.5x12ADA	3.5"x12"	3"	2
24"x72"	J13-522TP12	13"	3"	2
24"x84"	J13-22TP12	13"	3"	2
24"x96"	J13-22TP12	13"	3"	2
30"x30"	J13-22TP12	13"	3"	1
30"x36"	J13-2230TP12	13"	3"	1
30"x42"	J14-2230TP12	13"	4"	1
30"x48"	J13-522TP12	13"	3"	2
30"x48" ★★	J13-522TP3.5x12ADA	3.5"x12"	3"	2
30"x60"	J13-522TP12	13"	3"	2
30"x60" ★★	J13-522TP3.5x12ADA	3.5"x12"	3"	2
30"x72"	J13-522TP17	17"	3"	2
30"x84"	J13-22TP12	13"	3"	2
30"x96"	J13-22TP12	13"	3"	2
32"x32"	J13-30TP12	13"	3"	1
36"x36"	J14-30TP12	13"	4"	1
36"x42"	J14-2230TP17	17"	4"	1
36"x48"	J14-522TP12	13"	4"	2
36"x60"	J14-2230TP12	13"	4"	2
36"x72"	J14-2230TP17	17"	4"	2
36"x84"	J14-2230TP17	17"	4"	2
36"x96"	J14-2230TP17	17"	4"	2
42"x42"	J14-36TP24	24"	4"	1
48"x48"	J14-36TP24	24"	4"	1
48"x60"	J15x1.5-36TP24	24"	multi	1
48"x72"	J14-2230TP24	24"	4"	2
58"x58"	J15x1.5-36TP24	24"	multi	1
60"x60"	J15x1.5-36TP24	24"	multi	1

★ Optional Use: 1 or 2 bases per top

★★ Installation meets ADA requirements of 30" minimum between bases for wheelchair accessibility



# 4-Prong Style Table Bases



Recommended Base by Table Top Size for max top wgts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Round</b>				
18" Round	<b>Not Applicable</b>			
24" Round	J13-22TP12	13"	3"	1
30" Round	J13-22TP12	13"	3"	1
32" Round	J13-30TP12	13"	3"	1
36" Round	J14-30TP12	13"	4"	1
42" Round	J14-30TP17	17"	4"	1
48" Round	J14-36TP24	24"	4"	1
51" Round	J14-36TP24	24"	4"	1
54" Round	J14-36TP24	24"	4"	1
60" Round	J14-36TP24	24"	4"	1
64" Round	J15x1.5-36TP24	24"	multi	1
<b>Bar Height - No Footring</b>				
24"x24"	J13-22TP12BH	13"	3"	1
30"x30"	J13-30TP12BH	13"	3"	1
36"x36"	J14-30TP17BH	17"	4"	1
24" Round	J13-22TP12BH	13"	3"	1
30" Round	J13-30TP12BH	13"	3"	1
36" Round	J14-30TP12BH	13"	4"	1
42" Round	J14-36TP24BH	24"	4"	1
<b>Bar Height With Footring</b>				
24"x24"	J13-22TP12BHFR	13"	3"	1
30"x30"	J13-30TP12BHFR	13"	3"	1
36"x36"	J14-30TP17BH	17"	4"	1
24" Round	J13-22TP12BHFR	13"	3"	1
30" Round	J13-30TP12BHFR	13"	3"	1
36" Round	J14-30TP12BHFR	13"	4"	1
42" Round	J14-36TP24BHFR	24"	4"	1
48" Round	<b>Not Applicable</b>			



# "B" Series (3-Prong) Style Table Bases

Return to  
JI Bases



22" Footprint  
JIB3-22TP12



27" Footprint  
JIB3-27TP17  
(shown with upgraded  
17" top plate)



End or ADA  
JIB3-622TP12 or  
JIB3-622TP3.5x12ADA



Bar Height (with or without Footrings)  
JIB3-27TP12BH or JIB3-27TP12BHFR



# "B" Series (3-Prong) Style Table Bases

Return to  
JI Bases

Recommended Base by Table Top Size for max top wghts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Square &amp; Rectangle</b>				
24"x24"	JIB3-22TP12	13"	3"	1
24"x30"	JIB3-22TP12	13"	3"	1
24"x36"	JIB3-27TP12	13"	3"	1
24"x42"	JIB3-622TP12	13"	3"	2
24"x48"	JIB3-622TP12	13"	3"	2
24"x48"★★	JIB3-622TP3.5x12ADA	3.5"x12"	3"	2
24"x60"	JIB3-622TP12	13"	3"	2
24"x60"★★	JIB3-622TP3.5x12ADA	3.5"x12"	3"	2
24"x72"	JIB3-622TP12	13"	3"	2
24"x84"	JIB3-622TP12	13"	3"	2
24"x96"	JIB3-622TP12	13"	3"	2
30"x30"	JIB3-22TP12	13"	3"	1
30"x36"	JIB3-27TP12	13"	3"	1
30"x42"	JIB3-622TP12	13"	3"	2
30"x48"	JIB3-622TP12	13"	3"	2
30"x48"★★	JIB3-622TP3.5x12ADA	3.5"x12"	3"	2
30"x60"	JIB3-622TP12	13"	3"	2
30"x60"★★	JIB3-622TP3.5x12ADA	3.5"x12"	3"	2
30"x72"	JIB3-622TP12	13"	3"	2
30"x84"	JIB3-22TP17	17"	3"	2
30"x96"	JIB3-27TP12	13"	3"	2
36"x36"	JIB3-27TP17	17"	3"	1
36"x42"	JIB3-622TP12	13"	3"	2
36"x48"	JIB3-622TP12	13"	3"	2
36"x60"	JIB3-622TP12	13"	3"	2
36"x72"	JIB3-622TP17	17"	3"	2
36"x72"★★★	JIB3-27TP17	17"	3"	2
36"x84"	JIB3-27TP17	17"	3"	2
36"x96"	JIB3-27TP17	17"	3"	2

★★ Installation meets ADA requirements of 30" minimum between bases for wheelchair accessibility

★★★ Optional use for additional support



# "B" Series (3-Prong) Style Table Bases

Return to  
JI Bases

Recommended Base by Table Top Size for max top wgts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Round</b>				
24" Round	JIB3-22TP12	13"	3"	1
30" Round	JIB3-22TP12	13"	3"	1
36" Round	JIB3-27TP17	17"	3"	1
<b>Bar Height - No Footring</b>				
24"x24"	JIB3-22TP12BH	13"	3"	1
30"x30"	JIB3-27TP12BH	13"	3"	1
24" Round	JIB3-22TP12BH	13"	3"	1
30" Round	JIB3-27TP12BH	13"	3"	1
36" Round	JIB3-27TP17BH	17"	3"	1
<b>Bar Height With Footring</b>				
24"x24"	JIB3-22TP12BHFR	13"	3"	1
30"x30"	JIB3-27TP12BHFR	13"	3"	1
24" Round	JIB3-22TP12BHFR	13"	3"	1
30" Round	JIB3-27TP12BHFR	13"	3"	1
36" Round	JIB3-27TP17BHFR	17"	3"	1



# Round Table Bases

Return to  
JI Bases



18" or 22" Round  
J13-18RDTP12 or J13-22RDTP12



28" Round with a 17" Top Plate  
J14-28RDTP17



Bar Height with or without footrings  
J13-18RDTP12**BH** or J13-18RDTP12**BHFR**





# Round Table Bases

Return to  
JI Bases

Recommended Base by Table Top Size for max top wghts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Square &amp; Rectangle</b>				
24"x24"	J13-18RDTP12	13"	3"	1
24"x30"	J13-18RDTP12	13"	3"	1
24"x36"	J13-22RDTP12	13"	3"	1
24"x42"	J13-22RDTP12	13"	3"	1
24"x48" ★	J13-18RDTP12	13"	3"	2
24"x48" ★	J13-22RDTP17	17"	3"	1
24"x60"	J13-18RDTP12	13"	3"	2
24"x72"	J13-18RDTP12	13"	3"	2
24"x84"	J13-18RDTP12	13"	3"	2
24"x96"	J13-18RDTP12	13"	3"	2
30"x30"	J13-18RDTP12	13"	3"	1
30"x36"	J13-22RDTP12	13"	3"	1
30"x42"	J13-22RDTP12	13"	3"	1
30"x48" ★	J13-18RDTP12	13"	3"	2
30"x48" ★	J14-28RDTP17	17"	4"	1
30"x60"	J13-18RDTP12	13"	3"	2
30"x72"	J13-18RDTP12	13"	3"	2
30"x84"	J13-22RDTP12	13"	3"	2
30"x96"	J13-22RDTP12	13"	3"	2
36"x36"	J13-22RDTP12	13"	3"	1
36"x42"	J13-22RDTP17	17"	3"	1
36"x48" ★	J13-18RDTP17	17"	3"	2
36"x48" ★	J14-28RDTP17	17"	4"	1
36"x60"	J13-22RDTP12	13"	3"	2
36"x72"	J13-22RDTP12	13"	3"	2
36"x84"	J14-28RDTP17	17"	4"	2
36"x96"	J14-28RDTP17	17"	4"	2
42"x42"	J14-28RDTP17	17"	4"	1
48"x48"	J14-28RDTP17	17"	4"	1
60"x60"	<b>Not Applicable</b>			

★ Optional Use: 1 or 2 bases per top



# Round Table Bases



Recommended Base by Table Top Size for max top wgts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Round</b>				
18" Round	JI3-18RDTP12	13"	3"	1
24" Round	JI3-18RDTP12	13"	3"	1
30" Round	JI3-18RDTP12	13"	3"	1
36" Round	JI3-22RDTP12	13"	3"	1
42" Round	JI4-28RDTP17	17"	4"	1
48" Round	JI4-28RDTP17	17"	4"	1
51" Round	JI4-28RDTP24	24"	4"	1
54" Round	JI4-28RDTP24	24"	4"	1
60" Round	JI4-28RDTP24	24"	4"	1
72" Round	JI3-18RDTP12	13"	3"	3
<b>Bar Height - No Footring</b>				
24"x24"	JI3-18RDTP12BH	13"	3"	1
30"x30"	JI3-22RDTP12BH	13"	3"	1
36"x36"	JI3-22RDTP17BH	17"	3"	1
24" Round	JI3-18RDTP12BH	13"	3"	1
30" Round	JI3-22RDTP12BH	13"	3"	1
36" Round	JI3-22RDTP12BH	13"	3"	1
42" Round	JI4-28RDTP17BH	17"	4"	1
<b>Bar Height With Footring</b>				
24"x24"	JI3-18RDTP12BHFR	13"	3"	1
30"x30"	JI3-22RDTP12BHFR	13"	3"	1
36"x36"	JI3-22RDTP17BHFR	17"	3"	1
24" Round	JI3-18RDTP12BHFR	13"	3"	1
30" Round	JI3-22RDTP12BHFR	13"	3"	1
36" Round	JI3-22RDTP12BHFR	13"	3"	1
42" Round	JI4-28RDTP17BHFR	17"	4"	1



# Stainless Steel Table Bases

Return to  
JI Bases

## 4-prong (Cross)



18" or 22" 4-prong (Stainless Steel)

JIS3-18TP12 or JIS3-22TP12



28" 4-prong (Stainless Steel)  
JIS4-28TP17 or JIS4-28TP24



End Base (Stainless Steel)

JIS3-522TP12



Bar Height with or without Footrings

JIS3-18TP12BH or JIS3-18TP12BHFR  
JIS3-22TP12BH or JIS3-22TP12BHFR  
JIS4-28TP24BH



# 4-prong Stainless Steel

Return to  
JI Bases

Recommended Base by Table Top Size for max top wgts of approximately 10 lbs/sq ft.

Top Size	Model No.	Top Plate	Column	Qty of Bases		Top Size	Model No.	Top Plate	Column	Qty of Bases
<b>Square &amp; Rectangle</b>						<b>Square &amp; Rectangle</b>				
24"x24"	JIS3-18TP12	12"	3"	1		30"x84"	JIS3-22TP12	12"	3"	2
24"x30"	JIS3-22TP12	12"	3"	1		30"x96"	JIS3-22TP12	12"	3"	2
24"x36"	JIS3-22TP12	12"	3"	1		32"x32"	JIS3-22TP17	17"	3"	1
24"x42"	JIS3-18TP12	12"	3"	2		36"x36"	JIS4-28TP17	17"	4"	1
24"x42"	JIS3-522TP12	12"	3"	2		36"x40"	JIS4-28TP24	24"	4"	1
24"x48"	JIS3-18TP12	12"	3"	2		36"x42"	JIS3-522TP17	17"	3"	2
24"x48"	JIS3-522TP12	12"	3"	2		36"x48"	JIS3-522TP17	17"	3"	2
24"x60"	JIS3-522TP12	12"	3"	2		36"x60"	JIS3-522TP17	17"	3"	2
24"x60"	JIS3-18TP12	12"	3"	2		36"x72"	JIS3-22TP17	17"	3"	2
24"x72"	JIS3-18TP12	12"	3"	2		36"x84"	JIS3-22TP17	17"	3"	2
24"x72"	JIS3-522TP12	12"	3"	2		36"x96"	JIS3-22TP17	17"	3"	2
24"x84"	JIS3-18TP12	12"	3"	2		<b>Round</b>				
24"x96"	JIS3-22TP12	12"	3"	2		24" Round	JIS3-18TP12	12"	3"	1
30"x30"	JIS3-22TP12	12"	3"	1		30" Round	JIS3-22TP12	12"	3"	1
30"x36"	JIS3-22TP17	17"	3"	1		36" Round	JIS4-28TP17	17"	4"	1
30"x42"	JIS3-522TP12	12"	3"	2		40" Round	JIS4-28TP24	28"	4"	1
30"x42"	JIS3-18TP12	12"	3"	2		<b>BAR HEIGHT</b>				
30"x48"	JIS3-522TP12	12"	3"	2		24" Round	JIS3-18TP12BH	12"	3"	1
30"x48"	JIS3-18TP12	12"	3"	2		24"x24"	JIS3-18TP12BH	12"	3"	1
30"x60"	JIS3-522TP12	12"	3"	2		30" Round	JIS3-22TP17BH	17"	3"	1
30"x60"	JIS3-18TP12	12"	3"	2		30"x30"	JIS3-22TP17BH	17"	3"	1
30"x72"	JIS3-22TP12	12"	3"	2		36" Round	JIS4-28TP24BH	28"	4"	1
30"x72"	JIS3-522TP12	12"	3"	2		36"x36"	JIS4-28TP24BH	28"	4"	1



# Round Stainless Steel Table Bases

Return to  
JI Bases



18" or 22" Round (Stainless Steel)

JIS3-18RDTP12 or JIS3-22RDTP12



28" Round (Stainless Steel)

JI4-28RDTP17



Bar Height with or without Footrings

JIS3-18RDTP12BH or JIS3-18RDTP12BHFR



# Round Stainless Steel Table Bases

Return to  
JI Bases

Recommended Base by Table Top Size for max top wghts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Square &amp; Rectangle</b>				
24"x24"	JIS3-18RDTP12	13"	3"	1
24"x30"	JIS3-18RDTP12	13"	3"	1
24"x36"	JIS3-22RDTP12	13"	3"	1
24"x42"	JIS3-22RDTP12	13"	3"	1
24"x48" ★	JIS3-18RDTP12	13"	3"	2
24"x48" ★	JIS3-22RDTP12	13"	3"	1
24"x60"	JIS3-18RDTP12	13"	3"	2
24"x72"	JIS3-18RDTP12	13"	3"	2
24"x84"	JIS3-18RDTP12	13"	3"	2
24"x96"	JIS3-18RDTP12	13"	3"	2
30"x30"	JIS3-18RDTP12	13"	3"	1
30"x36"	JIS3-22RDTP12	13"	3"	1
30"x42"	JIS3-22RDTP12	13"	3"	1
30"x48" ★	JIS3-18RDTP12	13"	3"	2
30"x48" ★	JIS4-28RDTP17	17"	4"	1
30"x60"	JIS3-18RDTP12	13"	3"	2
30"x72"	JIS3-18RDTP12	13"	3"	2
30"x84"	JIS3-22RDTP12	13"	3"	2
30"x96"	JIS3-22RDTP12	13"	3"	2
36"x36"	JIS3-22RDTP17	17"	3"	1
36"x42"	JIS3-22RDTP17	17"	3"	1
36"x48" ★	JIS3-18RDTP17	17"	3"	2
36"x48" ★	JIS4-28RDTP17	17"	4"	1
36"x60"	JIS3-22RDTP12	13"	3"	2
36"x72"	JIS3-22RDTP12	13"	3"	2
36"x84"	JIS4-28RDTP17	17"	4"	2
36"x96"	JIS4-28RDTP17	17"	4"	2
42"x42"	JIS4-28RDTP17	17"	4"	1
48"x48"	JIS4-28RDTP24	24"	4"	1
60"x60"	<b>Not Applicable</b>			

★ Optional Use: 1 or 2 bases per top



# Round Stainless Steel Table Bases



Recommended Base by Table Top Size for max top wghts of approximately 10 lbs/sq ft.

Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>Round</b>				
18" Round	JIS3-18RDTP12	13"	3"	1
24" Round	JIS3-18RDTP12	13"	3"	1
30" Round	JIS3-18RDTP12	13"	3"	1
36" Round	JIS3-22RDTP12	13"	3"	1
42" Round	JIS4-28RDTP17	17"	4"	1
48" Round	JIS4-28RDTP17	17"	4"	1
51" Round	JIS4-28RDTP24	24"	4"	1
54" Round	JIS4-28RDTP24	24"	4"	1
60" Round	<b>Not Applicable</b>			
<b>Bar Height - No Footring</b>				
24"x24"	JIS3-18RDTP12BH	13"	3"	1
30"x30"	JIS3-22RDTP12BH	13"	3"	1
36"x 36"	JIS3-22RDTP17BH	17"	3"	1
24" Round	JIS3-18RDTP12BH	13"	3"	1
30" Round	JIS3-22RDTP12BH	13"	3"	1
36" Round	JIS3-22RDTP17BH	17"	3"	1
42" Round	JIS4-28RDTP24BH	24"	4"	1
<b>Bar Height With Footring</b>				
24"x24"	JIS3-18RDTP12BHFR	13"	3"	1
30"x30"	JIS3-22RDTP12BHFR	13"	3"	1
36"x 36"	JIS-22RDTP17BHFR	17"	3"	1
24" Round	JIS3-18RDTP12BHFR	13"	3"	1
30" Round	JIS3-22RDTP12BHFR	13"	3"	1
36" Round	JIS3-22RDTP17BHFR	17"	3"	1
42" Round	JIS4-28RDTP24BHFR	24"	4"	1



# Square Stainless Steel Table Bases

Return to  
JI Bases

Square Base Plate with Round or Square Columns



18" or 22" Square Base with 3"x3" square column  
17" cast iron top plate (standard)

JIS3SQ-18SQTP17  
JIS3SQ-22SQTP17



18" or 22" Square Base with 3" diameter round column  
either 13" or 17" top plate available

JIS3RD-18SQTP12  
JIS3RD-22SQTP12



18" or 22" Bar height with or  
without footrings are available  
in either round or square  
columns.

JIS3SQ-18SQTP17BH  
JIS3SQ-18SQTP17BHFR

JIS3RD-22SQTP12BH  
JIS3SQ-22SQTP12BHFR







# Square Stainless Steel

Return to  
JI Bases

Recommended Base by Table Top Size for max top wghts of approximately 10 lbs/sq ft.

## Square Base w/Square Column

Top Size	Base Style "SQ"	Top Plate	Column	Qty of Bases	Top Size	Base Style "SQ"	Top Plate	Column	Qty of Bases
<b>SQUARE &amp; RECTANGLE</b>					<b>SQUARE &amp; RECTANGLE</b>				
24"x24"	JIS3SQ-18SQTP17	17"	3"x3"	1	30"x84"	JIS3SQ-22SQTP17	17"	3"x3"	2
24"x30"	JIS3SQ-18SQTP17	17"	3"x3"	1	30"x96"	JIS3SQ-22SQTP17	17"	3"x3"	2
24"x36"	JIS3SQ-22SQTP17	17"	3"x3"	1	36"x36"	JIS3SQ-22SQTP17	17"	3"x3"	1
24"x42"	JIS3SQ-22SQTP17	17"	3"x3"	1	36"x42"	JIS3SQ-22SQTP17	17"	3"x3"	1
24"x48"	JIS3SQ-22SQTP17	17"	3"x3"	1	36"x48"	JIS3SQ-18SQTP17	17"	3"x3"	2
24"x60"	JIS3SQ-18SQTP17	17"	3"x3"	2	36"x60"	JIS3SQ-22SQTP17	17"	3"x3"	2
24"x72"	JIS3SQ-18SQTP17	17"	3"x3"	2	36"x72"	JIS3SQ-22SQTP17	17"	3"x3"	2
24"x84"	JIS3SQ-18SQTP17	17"	3"x3"	2	36"x84"	JIS3SQ-22SQTP17	17"	3"x3"	2
24"x96"	JIS3SQ-18SQTP17	17"	3"x3"	2	36"x96"	JIS3SQ-22SQTP17	17"	3"x3"	2
24"x96"	JIS3SQ-22SQTP17	17"	3"x3"	2	42"x42"	JIS3SQ-22SQTP17	17"	3"x3"	1
30"x30"	JIS3SQ-18SQTP17	17"	3"x3"	1	<b>ROUND</b>				
30"x36"	JIS3SQ-22SQTP17	17"	3"x3"	1	24" RD	JIS3SQ-18SQTP17	17"	3"x3"	1
30"x42"	JIS3SQ-22SQTP17	17"	3"x3"	1	30" RD	JIS3SQ-18SQTP17	17"	3"x3"	1
30"x48"	JIS3SQ-22SQTP17	17"	3"x3"	1	36" RD	JIS3SQ-22SQTP17	17"	3"x3"	1
30"x60"	JIS3SQ-18SQTP17	17"	3"x3"	2	42" RD	JIS3SQ-22SQTP17	17"	3"x3"	1
30"x72"	JIS3SQ-18SQTP17	17"	3"x3"	2					

## Square Base w/Round Column

Top Size	Base Style "RD"	Top Plate	Column	Qty of Bases	Top Size	Base Style "RD"	Top Plate	Column	Qty of Bases
<b>SQUARE &amp; RECTANGLE</b>					<b>SQUARE &amp; RECTANGLE</b>				
24"x24"	JIS3RD-18SQTP12	12"	3"	1	30"x84"	JIS3RD-22SQTP17	17"	3"	2
24"x30"	JIS3RD-18SQTP12	12"	3"	1	30"x96"	JIS3RD-22SQTP12	12"	3"	2
24"x36"	JIS3RD-22SQTP12	12"	3"	1	30"x96"	JIS3RD-22SQTP17	17"	3"	2
24"x42"	JIS3RD-22SQTP12	12"	3"	1	36"x36"	JIS3RD-22SQTP17	17"	3"	1
24"x48"	JIS3RD-22SQTP17	12"	3"	1	36"x42"	JIS3RD-22SQTP17	17"	3"	1
24"x60"	JIS3RD-18SQTP12	12"	3"	2	36"x48"	JIS3RD-18SQTP12	12"	3"	2
24"x72"	JIS3RD-18SQTP12	12"	3"	2	36"x60"	JIS3RD-22SQTP12	12"	3"	2
24"x84"	JIS3RD-18SQTP12	12"	3"	2	36"x72"	JIS3RD-22SQTP12	12"	3"	2
24"x96"	JIS3RD-18SQTP12	12"	3"	2	36"x84"	JIS3RD-22SQTP17	17"	3"	2
24"x96"	JIS3RD-22SQTP12	12"	3"	2	36"x96"	JIS3RD-22SQTP17	17"	3"	2
30"x30"	JIS3RD-18SQTP12	12"	3"	1	42"x42"	JIS3RD-22SQTP17	17"	3"	2
30"x36"	JIS3RD-22SQTP12	12"	3"	1	<b>ROUND</b>				
30"x42"	JIS3RD-22SQTP12	12"	3"	1	24" RD	JIS3RD-18SQTP12	13"	3"	1
30"x48"	JIS3RD-22SQTP17	12"	3"	1	30" RD	JIS3RD-18SQTP12	13"	3"	1
30"x60"	JIS3RD-18SQTP12	12"	3"	2	36" RD	JIS3RD-22SQTP17	17"	3"	1
30"x72"	JIS3RD-18SQTP12	12"	3"	2	42" RD	JIS3RD-22SQTP17	17"	3"	1

## Bar Height Square Bases

### 3" Round Column

### 3"x3" Square Column

Table Top Size	Model Number	Top Plate	Column	Qty of Bases	Table Top Size	Model Number	Top Plate	Column	Qty of Bases
<b>3" Diameter Round Column</b>					<b>3"x3" Square Column</b>				
24" Round	JIS3RD-18SQTP12BH	13"	3" RD	1	24" Round	JIS3SQ-18SQTP17BH	17"	3"x3"SQ	1
24"x24"	JIS3RD-18SQTP12BH	13"	3" RD	1	24"x24"	JIS3SQ-18SQTP17BH	17"	3"x3"SQ	1
30" Round	JIS3RD-18SQTP12BH	13"	3" RD	1	30" Round	JIS3SQ-18SQTP17BH	17"	3"x3"SQ	1
30"x30"	JIS3RD-18SQTP12BH	13"	3" RD	1	30"x30"	JIS3SQ-18SQTP17BH	17"	3"x3"SQ	1
36" Round	JIS3RD-22SQTP17BH	17"	3" RD	1	36" Round	JIS3SQ-22SQTP17BH	17"	3"x3"SQ	1
36" x 36"	JIS3RD-22SQTP17BH	17"	3" RD	1	36" x 36"	JIS3SQ-22SQTP17BH	17"	3"x3"SQ	1
42" Round	JIS3RD-22SQTP17BH	17"	3" RD	1	42" Round	JIS3SQ-22SQTP17BH	17"	3"x3"SQ	1
42"x42"	JIS3RD-22SQTP17BH	17"	3" RD	1	42"x42"	JIS3SQ-22SQTP17BH	17"	3"x3"SQ	1



# Bolt Down Table Bases

Return to  
JI Bases

JI Bases does not supply floor attaching hardware, nor give recommendations for hardware. These decisions need to be made by the installer based on the type and condition of the floor.



## **Dining Height -**

**Model #:** JIP3-7RDTP12SQDN

**Overall Height:** 28.5"

**Weight:** 10 lbs.

**Base Plate:** 7.5" dia., 16ga. metal cover over 5/16" thick steel plate

**Top Plate:** 12" x 12" square stamped steel welded on 3" (16-gauge) diameter column

**Standard Finish:** Black wrinkle

Packed 2 per carton

**Note:** *The top plate, column, & base plate are welded as one piece. Floor anchors **not** included.*

## **Bar Height -**

**Model #:** JIP3-7RDTP12SQBH

**Overall Height:** 40.5"

**Weight:** 12 lbs.

**Base Plate:** 7.5" dia., 16ga. metal cover over 5/16" thick steel plate

**Top Plate:** 12" x 12" square stamped steel welded on 3" (16-gauge) diameter column

**Standard Finish:** Black wrinkle

Packed 2 per carton

**Note:** *The top plate, column, & base plate are welded as one piece. Floor anchors **not** included.*



***Increasing the width or length beyond a recommended one fixed base per 36"x42" top may cause too much torque on floor bolts. Additional bases can be added to support longer tops based on one base per 42" in length.***



# Cantilever & Pin Leg



In two sizes to accommodate a wide variety of table tops.  
A pin leg is also available for longer tables requiring additional support.

**Model #** JICAT-15.5x21.5SM



**Small Cantilever**

**Weight** 10 lbs

**Dimensions** 15.5" H x 21" L x 19.75" (wall angle)

**Frame** 2" square tubing w/ 1/8" x 2" x 19.75" steel angle for wall & top attachment

**Standard Finish** Black Wrinkle

**Note:** *Recommended use with tops up to 30" long.*

**Model #** JICAT-15.5x33LG



**Large Cantilever**

**Weight** 12.5 lbs

**Dimensions** 15.5" H x 33" L x 19.75" (wall angle)

**Frame** 2" square tubing w/ 1/8" x 2" x 19.75" steel angle for wall & top attachment

**Standard Finish** Black Wrinkle

**Note:** *Recommended use with tops up to 54" long. Tops larger than 54" require a pin leg for additional support*

**Model #** JIPINLEG



**Overall Height** 27.75"

**Weight** 2 lbs

**Top Plate** 4"x4" 16-gauge steel welded on a 1.25" OD 16-gauge steel column

**Glide** adjustable plastic

**Standard Finish** Black Wrinkle

**Note:** *Recommended use with cantilever base for tables over 54" long*